

Q9_1 (Alzheimer's Disease) Overall, would you say you're familiar or unfamiliar with each of the following diseases and ailments, that is, what the disease is, the treatments, etc? Please select one response for each row.																			
																	Charitable Giving Behaviour	Alzheimer Society	
																	Heard of	Donated to	
	Weighted Total	Unweighted Total	Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
WEIGHTED BASE: Wave II	494 100%	513 100%	210 100%	284 100%	115 100%	166 100%	213 100%	174 100%	34 100%	37 100%	102 100%	147 100%	158 100%	195 100%	92 100%	402 100%	92 100%	59 100%	343 100%
UNWEIGHTED BASE	513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358
Very familiar	176 36%	195 38%	66 32%	110 39%	26 23%	58 35%	91 43%	55 31%	8 25%	9 24%	42 41%	63 43%	44 28%	77 39%	39 43%	152 38%	24 26%	35 59%	117 34%
							E					HU		M	M	Q			S
Somewhat familiar	222 45%	227 44%	106 50%	116 41%	53 46%	75 45%	94 44%	75 43%	21 61%	23 63%	40 40%	63 43%	80 51%	84 43%	38 42%	180 45%	42 46%	18 31%	161 47%
									K	HKL									R
Not very familiar	77 16%	75 15%	31 15%	46 16%	26 23%	26 16%	25 12%	37 21%	5 14%	4 12%	13 13%	17 12%	28 18%	30 16%	9 10%	58 14%	19 21%	6 9%	52 15%
								L											
Not at all familiar	19 4%	16 3%	6 3%	12 4%	9 8%	6 4%	3 1%	8 5%	-	-	7 6%	4 3%	5 3%	4 2%	5 6%	12 3%	6 7%	-	12 4%
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comparison Groups: AB/CD/EFG/HIJKL/MNO/PQ/RS																			
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																			
Upper case letters indicate significance at the 95% level.																			

Table 58																			
Q9_2 (Diabetes) Overall, would you say you're familiar or unfamiliar with each of the following diseases and ailments, that is, what the disease is, the treatments, etc? Please select one response for each row.																			
	Weighted Total	Unweighted Total	Gender		Age			BC Region					Charitable Giving Behaviour			Alzheimer Society			
			Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
WEIGHTED BASE: Wave II	494	513	210	284	115	166	213	174	34	37	102	147	158	195	92	402	92	59	343
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED BASE	513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358
Very familiar	243	264	104	140	42	85	116	71	16	16	53	86	78	99	45	205	38	30	175
	49%	51%	49%	49%	36%	52%	54%	41%	49%	44%	52%	59%	49%	51%	49%	51%	41%	51%	51%
						E	E					H							
Somewhat familiar	207	208	88	119	58	67	82	79	16	17	43	52	66	79	41	163	44	26	138
	42%	41%	42%	42%	50%	41%	38%	45%	48%	47%	42%	36%	41%	45%	41%	41%	48%	44%	40%
Not very familiar	35	35	16	18	9	12	14	20	1	3	4	7	13	13	4	25	10	3	21
	7%	7%	8%	7%	8%	7%	7%	11%	4%	8%	4%	5%	8%	7%	5%	6%	11%	6%	6%
								KL											
Not at all familiar	8	6	1	7	6	1	1	5	-	-	2	2	2	4	1	8	-	-	8
	2%	1%	1%	2%	5%	1%	0%	3%			2%	1%	1%	2%	1%	2%			2%
				C															
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comparison Groups: AB/CD/EFG/HIJKL/MNO/PQ/RS																			
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																			
Upper case letters indicate significance at the 95% level.																			

Table 59																			
Q9_3 (Heart Disease) Overall, would you say you're familiar or unfamiliar with each of the following diseases and ailments, that is, what the disease is, the treatments, etc? Please select one response for each row.																			
	Weighted Total	Unweighted Total	Gender		Age			BC Region					Charitable Giving Behaviour			Alzheimer Society			
			Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
WEIGHTED BASE: Wave II	494	513	210	284	115	166	213	174	34	37	102	147	158	195	92	402	92	59	343
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED BASE	513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358
Very familiar	232	247	104	128	39	72	121	75	18	17	43	78	67	98	47	194	39	33	161
	47%	48%	50%	45%	34%	44%	57%	43%	55%	47%	43%	53%	42%	50%	51%	48%	42%	55%	47%
Somewhat familiar	205	216	86	119	44	76	85	76	12	16	46	55	74	77	36	171	34	25	146
	42%	42%	41%	42%	39%	46%	40%	44%	35%	44%	45%	37%	47%	39%	39%	43%	37%	42%	43%
Not very familiar	45	41	16	29	22	15	8	18	3	-	11	12	13	19	6	28	16	2	27
	9%	8%	7%	10%	19%	9%	4%	10%	10%		11%	8%	8%	10%	6%	7%	18%	3%	8%
					G	G										P			R
Not at all familiar	12	9	4	8	9	3	-	5	-	3	2	2	5	2	3	9	3	-	9
	2%	2%	2%	3%	8%	2%		3%		8%	2%	1%	3%	1%	4%	2%	3%		2%
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comparison Groups: AB/CD/EFG/HIJKL/MNO/PQ/RS																			
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																			
Upper case letters indicate significance at the 95% level.																			

Table 60																			
Q9_4 (Cancer) Overall, would you say you're familiar or unfamiliar with each of the following diseases and ailments, that is, what the disease is, the treatments, etc? Please select one response for each row.																			
	Gender		Age			BC Region					Charitable Giving Behaviour			Alzheimer Society					
	Weighted Total	Unweighted Total	Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
WEIGHTED BASE: Wave II	494	513	210	284	115	166	213	174	34	37	102	147	158	195	92	402	92	59	343
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED BASE	513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358
Very familiar	292	312	116	175	58	96	137	93	23	20	57	99	82	126	62	238	54	39	199
	59%	61%	55%	62%	51%	58%	64%	53%	67%	55%	56%	68%	52%	64%	68%	59%	59%	65%	58%
Somewhat familiar	179	177	81	97	51	57	71	71	10	16	39	42	71	62	26	149	30	19	130
	36%	35%	39%	34%	44%	35%	33%	41%	30%	45%	38%	28%	45%	32%	28%	37%	33%	32%	38%
								L							NO				
Not very familiar	21	22	11	10	4	11	6	9	1	-	6	4	6	4	4	13	8	1	11
	4%	4%	5%	3%	4%	7%	3%	5%	4%		6%	3%	4%	3%	4%	3%	9%	2%	3%
Not at all familiar	3	2	1	2	2	1	-	1	-	-	-	2	-	1	-	3	-	-	3
	1%	0%	1%	1%	1%	1%		1%				1%		1%		1%			1%
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comparison Groups: AB/CD/EFG/HIJKL/MNO/PQ/RS																			
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																			
Upper case letters indicate significance at the 95% level.																			

Table 61																			
Q10_1 (Alzheimer's Disease) Would you say you are concerned or unconcerned about personally being diagnosed with each of the following ailments/diseases?																			
	Gender		Age				BC Region					Charitable Giving Behaviour			Alzheimer		Society		
	Weighted Total	Unweighted Total	Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
WEIGHTED BASE: Wave II	494	513	210	284	115	166	213	174	34	37	102	147	158	195	92	402	92	59	343
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED BASE	513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358
Very concerned	135	141	57	78	30	42	62	45	10	12	28	40	43	55	23	114	21	21	93
	27%	27%	27%	27%	27%	25%	29%	26%	29%	33%	27%	27%	27%	28%	25%	28%	23%	35%	27%
Somewhat concerned	170	182	66	104	32	55	83	47	12	14	37	60	55	70	34	142	28	23	119
	34%	35%	31%	37%	28%	33%	39%	27%	37%	38%	36%	41%	35%	36%	37%	35%	30%	38%	35%
												H							
Not very concerned	145	144	74	72	38	52	55	67	9	6	28	36	48	53	29	112	33	14	98
	29%	28%	35%	25%	34%	31%	26%	38%	26%	16%	28%	24%	30%	27%	32%	28%	36%	24%	29%
			D					JL											
Not at all concerned	44	46	13	30	13	18	13	15	3	5	9	11	12	17	5	34	10	2	32
	9%	9%	6%	11%	12%	11%	6%	9%	8%	14%	9%	8%	8%	9%	6%	8%	11%	3%	9%
																			R
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comparison Groups: AB/CD/EF/G/H/I/J/K/L/M/N/O/P/Q/R/S Independent T-Test for Means (equal variances), Independent Z-Test for Percentages Upper case letters indicate significance at the 95% level.																			

Table 62																					
Q10_2 (Diabetes) Would you say you are concerned or unconcerned about personally being diagnosed with each of the following ailments/diseases?																					
																		Charitable Giving Behaviour		Alzheimer Society	
																		Heard of		Donated to	
Gender		Age					BC Region														
Weighted Total	Unweighted Total	Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No			
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
WEIGHTED BASE: Wave II	494	513	210	284	115	166	213	174	34	37	102	147	158	195	92	402	92	59	343		
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		
UNWEIGHTED BASE	513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358		
Very concerned	123	129	57	66	26	41	57	33	7	14	29	39	40	46	18	96	27	15	81		
	25%	25%	27%	23%	22%	25%	26%	19%	22%	39%	28%	27%	25%	24%	20%	24%	29%	26%	24%		
										H											
Somewhat concerned	158	161	63	96	41	52	65	52	10	12	35	49	60	68	24	123	36	21	102		
	32%	31%	30%	34%	36%	31%	31%	30%	29%	34%	35%	33%	38%	35%	26%	31%	39%	36%	30%		
Not very concerned	160	170	68	93	34	53	74	68	12	8	29	43	45	61	41	140	20	19	121		
	32%	33%	32%	33%	29%	32%	35%	39%	36%	22%	29%	29%	28%	31%	44%	35%	22%	32%	35%		
															MN	Q					
Not at all concerned	52	53	22	30	14	20	18	21	4	2	9	16	14	20	9	42	10	4	39		
	11%	10%	11%	10%	12%	12%	8%	12%	13%	5%	9%	11%	9%	10%	10%	11%	10%	6%	11%		
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Comparison Groups: AB/CD/EFG/HIJKL/MNO/PQ/RS																					
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																					
Upper case letters indicate significance at the 95% level.																					

Table 63																					
Q10_3 (Heart Disease) Would you say you are concerned or unconcerned about personally being diagnosed with each of the following ailments/diseases?																					
																	Charitable Giving Behaviour	Alzheimer Society Donated to			
																	Head of	Yes	No	Yes	No
Gender		Age					BC Region														
Weighted Total	Unweighted Total	Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No			
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
WEIGHTED BASE: Wave II	494	513	210	284	115	166	213	174	34	37	102	147	158	195	92	402	92	59	343		
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		
UNWEIGHTED BASE	513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358		
Very concerned	153	162	67	86	31	49	73	46	11	16	31	48	49	63	24	122	31	19	103		
	31%	32%	32%	30%	27%	29%	34%	26%	34%	45%	30%	33%	31%	32%	26%	30%	34%	32%	30%		
Somewhat concerned	187	195	77	109	39	65	83	70	9	11	35	62	61	79	35	163	24	30	133		
	38%	38%	37%	38%	34%	39%	39%	40%	27%	29%	34%	42%	39%	41%	38%	41%	26%	51%	39%		
																Q					
Not very concerned	125	128	54	71	32	40	53	48	12	6	30	29	39	44	29	96	29	9	87		
	25%	25%	26%	25%	28%	24%	25%	28%	36%	17%	29%	19%	24%	23%	32%	24%	31%	16%	25%		
Not at all concerned	29	28	11	18	13	12	4	11	1	3	6	8	10	9	4	21	8	1	21		
	6%	5%	5%	6%	11%	7%	2%	6%	4%	8%	6%	5%	6%	4%	5%	5%	9%	1%	6%		
					G	G													R		
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Comparison Groups: AB/CD/EF/G/H/I/J/K/L/M/N/O/P/Q/R/S																					
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																					
Upper case letters indicate significance at the 95% level.																					

Table 64																					
Q10_4 (Cancer) Would you say you are concerned or unconcerned about personally being diagnosed with each of the following ailments/diseases?																					
																		Charitable Giving Behaviour		Alzheimer Society	
																		Heard of		Donated to	
Gender		Age					BC Region					Concerned Level			Yes		No				
Weighted Total	Unweighted Total	Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No			
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
WEIGHTED BASE: Wave II		494	513	210	284	115	166	213	174	34	37	102	147	158	195	92	402	92	59	343	
		100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		
UNWEIGHTED BASE		513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358	
Very concerned		192	199	75	118	52	63	77	60	13	21	44	55	66	82	27	156	36	19	137	
		39%	39%	36%	41%	45%	38%	36%	34%	38%	57%	43%	37%	42%	42%	29%	39%	39%	33%	40%	
Somewhat concerned		175	188	72	104	33	63	80	65	15	9	33	54	52	73	38	153	23	30	123	
		36%	37%	34%	37%	28%	38%	37%	37%	43%	26%	32%	37%	33%	38%	41%	38%	25%	50%	36%	
Not very concerned		96	98	53	42	17	31	48	40	5	3	19	29	28	33	24	71	24	9	62	
		19%	19%	25%	15%	15%	19%	22%	23%	15%	9%	18%	20%	17%	17%	26%	18%	27%	16%	18%	
Not at all concerned		30	28	10	20	13	9	8	10	1	3	6	9	12	7	4	22	9	1	21	
		6%	5%	5%	7%	12%	5%	4%	6%	4%	8%	6%	6%	8%	4%	4%	5%	10%	1%	6%	
NO ANSWER		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Comparison Groups: AB/CD/EFG/HIJKL/MNO/PQ/RS																					
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																					
Upper case letters indicate significance at the 95% level.																					

Table 65																			
Q11 Do you personally have any family or friends who suffer or have suffered in the past from any of the following?																			
	Gender		Age					BC Region					Charitable Giving Behaviour			Alzheimer Society			
	Weighted Total	Unweighted Total	Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
WEIGHTED BASE: Wave II	494	513	210	284	115	166	213	174	34	37	102	147	158	195	92	402	92	59	343
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED BASE	513	513	171	342	63	221	229	167	38	37	113	158	166	205	97	430	83	72	358
Cancer	420	442	169	250	94	143	182	151	30	32	85	122	131	166	87	353	67	54	299
	85%	86%	81%	88%	82%	87%	85%	87%	89%	87%	84%	83%	83%	85%	95%	88%	73%	91%	87%
				C											MN	Q			
Diabetes	345	363	133	212	80	113	152	113	23	24	74	111	111	141	67	287	58	43	244
	70%	71%	63%	75%	70%	68%	71%	65%	67%	65%	73%	76%	70%	72%	73%	71%	63%	73%	71%
				C								H							
Heart Disease	317	348	121	196	50	104	163	105	24	23	61	105	100	130	62	274	43	47	227
	64%	68%	58%	69%	44%	63%	76%	60%	71%	62%	60%	71%	63%	67%	68%	68%	47%	80%	66%
				C		E	EF					H				Q		S	
Alzheimer's Disease	192	214	65	126	27	62	102	70	14	9	42	57	50	84	46	167	25	42	125
	39%	42%	31%	45%	24%	37%	48%	40%	40%	25%	41%	39%	32%	43%	50%	41%	27%	71%	36%
				C		E	EF							M	M	Q		S	
None of the above	19	19	8	12	7	8	5	8	-	4	3	5	3	9	1	14	5	2	12
	4%	4%	4%	4%	6%	5%	2%	4%		10%	3%	3%	2%	4%	1%	3%	6%	3%	4%
														O					
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comparison Groups: AB/CD/EFG/HIJKL/MNO/PQ/RS																			
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																			
Upper case letters indicate significance at the 95% level.																			

Table 66																					
Q12 How many people do you personally know who suffer from Alzheimer's Disease?																					
																		Charitable Giving Behaviour		Alzheimer Society	
																		Heard of		Donated to	
Gender				Age				BC Region				Charitable Giving Behaviour				Heard of		Donated to			
Weighted Total	Unweighted Total	Male	Female	18-34	35-54	55+	Metro Vancouver	Fraser Valley	Northern BC	Southern BC	Vancouver Island	Low	Medium	High	Yes	No	Yes	No			
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
WEIGHTED BASE: Wave II respondents who personally know someone who suffers from Alzheimer's Disease	192	214	65	126	27	62	102	70	14	9	42	57	50	84	46	167	25	42	125		
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		
UNWEIGHTED BASE	214	214	59	155	17	86	111	71	17	12	51	63	58	94	49	189	25	51	138		
1 person	67	78	20	48	10	28	29	28	6	5	10	19	23	27	13	56	11	10	46		
	35%	36%	30%	38%	37%	46%	28%	40%	43%	50%	24%	34%	46%	32%	29%	34%	44%	24%	37%		
						G															
2	52	56	17	35	11	17	25	21	2	2	11	16	12	23	13	45	8	9	35		
	27%	26%	26%	28%	40%	27%	24%	30%	15%	18%	27%	29%	23%	28%	28%	27%	31%	22%	28%		
3	27	29	11	16	3	7	17	13	1	1	9	3	5	16	5	26	1	8	18		
	14%	14%	17%	13%	11%	11%	16%	19%	5%	7%	19%	6%	9%	19%	12%	16%	2%	19%	15%		
								L			IL					Q					
4	12	14	4	8	2	3	8	3	3	1	3	2	2	6	3	11	2	5	6		
	6%	7%	7%	6%	6%	5%	8%	4%	22%	12%	8%	3%	4%	7%	6%	6%	7%	11%	5%		
5	12	13	3	8	2	2	8	2	1	1	1	6	3	4	4	12	-	3	9		
	6%	6%	5%	7%	6%	3%	8%	3%	6%	7%	3%	11%	6%	5%	9%	7%	-	8%	7%		
6	6	6	4	1	-	2	4	1	1	-	1	3	1	2	2	4	2	1	3		
	3%	3%	7%	1%		3%	4%	2%	5%		3%	5%	2%	3%	4%	2%	7%	3%	2%		
7	1	1	-	1	-	-	1	-	-	-	-	1	-	1	-	1	-	1	-		
	0%	0%		1%			1%					1%		1%		0%		2%			
8	3	3	1	1	-	1	2	-	-	-	2	1	1	1	1	3	-	1	2		
	1%	1%	2%	1%		1%	2%				5%	1%	2%	1%	2%	2%		2%	1%		
9	1	1	-	1	-	-	1	-	-	-	1	-	-	1	-	1	-	1	-		
	0%	0%		1%			1%				2%			1%		0%		2%			
10 or more people	11	13	4	7	-	2	9	2	1	1	3	5	4	3	4	9	2	3	6		
	6%	6%	7%	5%		4%	8%	2%	5%	7%	7%	9%	8%	3%	10%	5%	9%	7%	5%		
NO ANSWER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Comparison Groups: AB/CD/EFG/HIJKL/MNO/PQ/RS																					
Independent T-Test for Means (equal variances), Independent Z-Test for Percentages																					
Upper case letters indicate significance at the 95% level.																					

